

First Editions® Virtual Violet™ Lilac PPAF
Syringa 'Bailbridget' PPAF

Deciduous/Evergreen: Deciduous

Northern/Midwest Region Container Production

pH: 5.0-7.0 **EC:** 1.0-2.0 MN; 2.2-2.7 IL

Hardiness: Zone 3-7

Fertilization Requirements	In MN: incorporate 17-3-10 at 10lbs per yard at planting. Top dress in second season with 22-3-8 at 15g per container unit (1 unit=1 gallon). In IL: incorporate 6 month slow release at time of planting (19-2-8).
Overwintering Practices and Temperatures	Put in large poly house with white poly, keeps tops dry.
Light Levels	Full sun
Water Requirements	Medium to low
Planting Season	Spring and Summer
Propagation Method and Notes	Softwood cuttings are taken in late spring/early summer. The cuttings are 3" long. Overhead IBA at 750ppm is applied at time of stick. Cuttings are off mist in 40-50 days after sticking.
Pest/Disease Management	
PGR Application	
Flowers on new or old wood	
Special Notes	Slower grower

Estimated Finishing Times

Liner	#1 container	#3 container	#5 container
Bareroot		3yr: 15-18": 14-16 weeks to finish	

Edited 4/21/17

Note: The information presented should be considered as a starting point for best practices. Production times and product applications will vary depending on the growing region and conditions. It is the responsibility of the applicator to follow all current manufacturer label directions in a responsible manner.